DRY FLOCKED SWABS FLOQSwabs™

Anatomical design

A specific tip for each sampling site

Toe cap: flocked nylon fibers - Patented technology
Optimized and meaningful sample collection and restitution:

COPAN

FLOCKED SWABS

Optimum collection
Release: **jusqu'à 90%**
of the recovered sample1

STANDARD SWABS

Sample captured in fiber
Release: 40% maximum
of the recovered sample

Stick: breakable plastic (except for the saliva swab)
Packaging in unitary sterile tube, minimum sale: box of 100 pieces

Prelevement site		End cap	Breakable par (mm)	Art.	Color code
Standard : nez, gorge, vagin, etc.		Regular	80	**EFTPREGT**	Red
Urethra		Ultra fin Minitip	80	**EFTPURET**	Green
Nasopharynx		Nasopharyngeal hose	100	**EFTPNASOT**	Orange
Vagina		Endocervical	80	**EFTPENDOT**	Pink
Mouth		Salivary	no	**EFTPBUCT**	Blue

1-Testing performed by direct immunofluorescence. Copan internal data.
2 - Indicatif : se référer aux procédures internes pour le choix de l'écouvillon le plus adapté au site de prélèvemen

DOCFLOQSWABS - 12/2018 - Non contractual pictures

0800 970 724 Service & appel gratuits
www.labelians.fr
LABELIANS CML-ID Group
CLIENTS SERVICE serviceclient@labelians.fr
EXPORT SERVICE export@labelians.fr