MICROCENTRIFUGE

Compact solutions for a quick centrifugation

D1008 MICROCENTRIFUGE

2 years guaranteed

A personal microcentrifuge with **low clutter**
Easy to use with double function : start/stop
Acceleration et braking in few seconds
I**nterchangeable rotors without tools**
Quiet operation : **≤45dB**

THE +

Fixed speed 7 000 tr/min
2 available colors : blue or green
Include :
1 rotor for 8 microtubes of 1,5/2ml
1 rotor for 2 barrettes of 8 microtubes of 0,2ml

DOCDLAB1008 - 01/2020 - No contractual pictures

LABELIANS
CML-ID Group

Designation	Minimum quantity order	Art.
Green microcentrifuge, fixed speed 7 000rpm, include two rotors : 1 rotor : 8 microtubes of 1,5/2ml 1 rotor : 2 barrettes of 8 microtubes 0,2ml	1	**D1008V**
Blue microcentrifuge, fixed speed 7 000rpm, include two rotors : 1 rotor : 8 microtubes of 1,5/2ml 1 rotor : 2 barrettes of 8 microtubes 0,2ml	1	**D1008B**

Max. speed (in rpm)	7 000
Max. speed (in g)	2 680
Rotor capacity	8 microtubes of 0,2ml/0,5ml/1,5ml/2ml 2 barrettes of 8 microtubes of 0,2ml
Operation duration	Continuous operation
Power	AC100V-240V 50Hz/60Hz 20W
Sound level	≤ 45dB
Dim.	160 x 170 x 122mm
Certifications	CE/TÜV

Think about it ! We propose to you in the same range :

Réf. D3024

Microcentrifuge, speed 15 000rpm,
shipped with AS24-2940006 rotor
for 12 tubes of 0,2/0,5/1,5/2 ml

Réf. D2012

Microcentrifuge, speed 15 000rpm,
shipped with AS12-20 rotor
for 12 tubes of 0,2/0,5/1,5/2 ml

D2012 MICROCENTRIFUGE

Compact and economic !

2 years guaranteed

An ideal benchtop centrifuge for quick centrifugations

Shipped with AS12-20 rotor for 12 tubes of 0,2/0,5/1,5/2 ml

Quiet operation : **≤56dB**

Display change g/rpm

Short centrifugation function

Function with audible alerts

THE +

Fixed speed 15 000 tr/min

Several security points :

- automatic door lock
- overspeed detection
- overheated detection
- automatic internal diagnosis

DLAB2012 -01/2020 - No contractual pictures

LABELIANS
CML-ID Group

Designation	Minimum quantity order	Art.
Microcentrifuge, speed 15 000rpm, shipped with AS12-20 rotor for 12 tubes of 0,2/0,5/1,5/2 ml	1	**D2012**

Max. speed (in rpm)	15 000 (500-15 000), incr.x100
Max. speed (in g)	15 100 (incr.x10)
Speed accuracy (in rpm)	± 20
AS12-20 rotor capacity	12 tubes of 0,2ml/0,5ml/1,5ml/2ml
Operation duration	30sec-99min fixed or continuous
Power	AC100V-240V 50Hz/60Hz
Sound level	≤ 56dB
Dim.	255 x 245 x 140mm
Certifications	CE/TÜV

Think about it ! We propose to you in the same range :

Réf. D3024

Microcentrifuge, speed 15 000rpm, shipped with AS24-2940006 rotor for 12 tubes of 0,2/0,5/1,5/2 ml

Réf. D1008V Réf. D1008B

Microcentrifuge blue or green, fixed speed 7 000rpm, include two rotors : 1 rotor for 8 microtubes 1,5/2ml and 1 rotor for 2 barrettes of 8 microtubes 0,2ml

D3024 HIGH SPEED MICROCENTRIFUGE

An unequaled comfort

2 years guaranteed

Patented multi-flow ventilation for an excellent temperature control and a reduced energy consumption

Shipped with aluminum AS24-2 940006 rotor

Autoclavable aluminum rotor

3 joints closing for **a complete security in case of opening samples** during the centrifugation

Display change g/rpm

Short centrifugation function

Function with audible sounds

THE +

Fixed speed 15 000 tr/min

Several security points :

- automatic door lock
- overspeed detection
- overheated detection
- automatic internal diagnosis

Good to know

In option : four rotors are available, with 24 tubes of 1,5/2,0 ml, 24 tubes bigger, 5,0 ml, smaller tubes of 0,2 ml and 0,5 ml with adapters

DLAB3024 - 01/2020 - No contractual pictures

LABELIANS
CML-ID Group

Designation	Minimum quantity order	Art.
Microcentrifuge, speed 15 000rpm, shipped with AS24-2940006 rotor for 12 tubes of 0,2/0,5/1,5/2 ml,	1	**D3024**

Max. speed (in rpm)	15 000 (incr.x10)
Max. speed (in g)	21 380 (incr.x10)
Speed accuracy (in rpm)	± 20
AS24-2 940006 rotor capacity	12 tubes of 0,2ml/0,5ml/1,5ml/2ml
Operation duration	30sec-99min fixed or continuous
Power	AC100V-240V 50Hz/60Hz
Sound level	≤ 64dB
Dim.	280 x 364 x 266mm
Certifications	CE/TÜV

Think about it !

We propose to you in the same range :

Réf. D2012
Microcentrifuge, speed 15 000rpm, shipped with AS12-20 rotor for 12 tubes of 0,2/0,5/1,5/2 ml

Réf. D1008V Réf. D1008B
Microcentrifuge blue or green, fixed speed 7 000rpm, include two rotors : 1 rotor for 8 microtubes 1,5/2ml and 1 rotor for 2 barrettes of 8 microtubes 0,2ml

Our teams at your services

0 800 970 724 Service & appel gratuits serviceclient@labelians.fr

1, rue des Palis - 77140 NEMOURS

To inform you, record your orders, train you, advise you, audit you and ensure your maintenance and metrology as well as your requirements in terms of standards.